



# MANIPULATIVE PERFORMANCE TEST

Procedures Handbook 4300

HOSE

**TOPIC/EQUIPMENT:** PICK UP AND DRAIN HOSE – HORSESHOE SHOULDER CARRY METHOD

**CATEGORY:** Performance Exam

**POINTS POSSIBLE:** 100

**TIME ALLOWED:** Sixty seconds

**BEHAVIORAL OBJECTIVE:**

*Condition:* Given one length of hose

*Behavior:* The student will drain, pick up, and carry hose using the horseshoe shoulder carry method under simulated fire conditions.

*Standard:* With a minimum of 80% accuracy within sixty seconds.

**MATERIALS NEEDED:**

- One (1) section of hose per student
- One (1) score sheet per student
- One (1) clipboard
- Stop watch
- Red pens

**PROCEDURES:**

**SCORING:** Points will deducted for each step omitted, performed improperly, or performed out of sequence. Steps designated by Pass/No Pass must be performed properly or the student fails the entire examination. If the student goes over the allotted time he/she will fail the entire examination.

**SPECIAL NOTES:**

# Score Sheet

PICK UP AND DRAIN HOSE – HORSESHOE  
SHOULDER CARRY METHOD

DATE \_\_\_\_ / \_\_\_\_ / \_\_\_\_ TEST # \_\_\_\_ RETEST # \_\_\_\_ UNIT # \_\_\_\_

STUDENT'S NAME \_\_\_\_\_

EVALUATOR'S NAME \_\_\_\_\_

## **STEPS AND PROCEDURES**

<b>TIME STARTS</b>	<b>POINTS</b>
1. Lay hose flat on ground, in a straight line, fully extended with one coupling elevated to drain hose.	____ 10
2. Take position at elevated coupling, facing the other coupling.	____ 10
3. Lift elevated coupling and carry it toward the other coupling.	____ 5
4. Place coupling on the ground even with the other coupling and approximately 12" away from the other coupling.	____ 5
5. Return to the opposite end of the hose and lift the hose at the fold.	____ 10
6. Carry the fold up the middle of the legs of hose currently on the ground to a point even with the couplings.	____ 10
7. Place the fold on the ground even with and between the couplings forming 4 flakes of hose.	____ 10
8. Return to center of hose flakes and stand each flake on edge. Gathering the flakes together to eliminate gaps.	____ 10
9. Place one foot at center of hose flakes as an anchor and bend both the folded end and the coupling end around the anchor foot forming a "V". The folded end and the coupling end should be 24" apart.	____ 10
10. Bend down and pick up hose at the base of the "V" lifting the hose onto the shoulder with the couplings to the front of the body and against the body (i.e. on bottom layer). Lift with the legs, not the back!!	____ 20

**4307.57**

# Score Sheet

PICK UP AND DRAIN HOSE – HORSESHOE  
SHOULDER CARRY METHOD

---

## TIME STOPS

ENTER TOTAL TIME: \_\_\_\_\_

POINTS POSSIBLE: \_\_\_\_\_ 100

POINTS DEDUCTED: \_\_\_\_\_

FINAL SCORE \_\_\_\_\_

## COMMENTS:

---

---

---

---